24

25

This listing of claims will replace all prior versions, and listings, of claims in the application: Claim 1 (Original): A method of producing a sheet of coated substrate, comprising: providing a substrate; providing a solution or dispersion of a first material that adheres to the substrate mixed with an amine terminated material; coating the provided substrate with the solution; and drying the substrate coated with the solution to form a solid coating thereon. Claim 2 (Original): A method according to claim 1 wherein the amine terminated material is a diamine terminated material. Claim 3 (Original): A method according to claim 1 wherein the amine terminated material is a monoamine terminated material. terminated material is a tri-amine terminated material.

Claim 4 (Original): A method according to claim 1 wherein the amine

Claim 5 (Original): A method according to claim 2 wherein the amine terminated material is diamine poly (propylene oxide).

Claim 6 (Original): A method according to claim 3 wherein the amine terminated material is mono-amine poly (propylene oxide).

Claim 7 (Original): A method according to claim 4 wherein the amine terminated material is tri-amine poly (propylene oxide).

Claim 8 (Currently amended): A method according to any of the preceding claim[[s]] 1 wherein the first material comprises polyvinyl alcohol.

Claim 9 (Currently amended): A method according to any of claim[[s]]
1[[-7]] wherein the first material comprises a styrene-butadiene copolymer.

Claim10 (Currently amended): A method according to any of claim[[s]]
1[[-7]] wherein the first material comprises an acrylic ester copolymer.

Claim 11 (Currently amended): A method according to any of the preceding-claim[[s]] 1 wherein the substrate comprises PET.

Claim 12 (Currently amended): A method according to any of claim[[s]] 1[[-10]] wherein the substrate comprises polypropylene.

Claim 13 (Currently amended): A method according to any of the preceding-claim[[s]] 1 wherein the solution or dispersion also comprises sodium hydroxide.

Claim 14 (Currently amended): A method according to any of the preceding claim[[s]] 1 wherein the dry weight of amine terminated material is between 5 and 30% of the dry weight of the coating.

Claim 15 (Original): A method according to claim 14 wherein the dry weight of amine terminated material is 10% or more of the dry weight of the coating.

Claim 16 (Original): A method according to claim 14 wherein the weight of amine terminated material is 20 15% or more of the dry weight of the coating.

Claim 17 (Currently amended): A method according to any of claim[[s]] 14[[-16]] wherein the dry weight of amine terminated material is 25% or less of the dry weight of the coating.

Claim 18 (Currently amended): A coated substrate produced according to the method of any of the preceding claim[[s]] 1.

Claim 19 (Currently amended): A printed sheet comprising: a coated sheet produced according to the method of any of claim[[s]] 1[[-18]]; and an image printed on the sheet.

Claim 20 (Currently amended): A printed sheet according to claim 19 wherein the image is printed using a liquid toner process.

Claim 21 (Currently amended): A method of printing comprising:

providing a coated substrate according to claim 18 or produced according to any of claims 1-17;

printing an image on the coating using a liquid toner; and fixing the image to the coated substrate,

wherein the adhesion of the liquid toner image to the substrate is improved over its adhesion to a similarly coated substrate in which the coating does not include the amine terminated material.

Claim 22 (Original): A printing method according to claim 21 wherein the substrate and the pigmented particles are both acidic.

Claim 23 (Currently amended): A printing method according to claim 21 or claim 22 wherein the coating forms a substantially smooth surface.

Claim 24 (Currently amended): A printing method according to any of claim[[s]] 21[[-23]] wherein the substrate is a CD or DVD disk.